
Product Data Sheet: DEHNguard® modular



DG M WE 600 FM (952 307)

- Prewired complete unit consisting of a base part and plug-in protection modules
- High discharge capacity due to heavy-duty zinc oxide varistors/spark gaps
- High reliability due to "Thermo Dynamic Control" SPD monitoring device








Figure without obligation

Three-pole modular surge arrester for use in wind turbines with a rated varistor voltage U_{mov} = 750 V a.c.; FM version with floating remote signalling contact

Type Part No.	DG M WE 600 FM 952 307
SPD according to EN 61643-11	7952 307 Type 2
SPD according to IEC 61643-1/-11	Class II
Nominal a.c. voltage (U _N)	600 V
Max. continuous operating a.c. voltage (U _c)	600 V
Rated varistor voltage (U _{mov})	750 V
Nominal discharge current (8/20 µs) (In)	15 kA
Max. discharge current (8/20 μs) (I _{max})	25 kA
/oltage protection level (U _P)	≤ 3 kV
/oltage protection level at 5 kA (U _P)	≤ 2.5 kV
Response time (t _A)	≤ 25 ns
Max. mains-side overcurrent protection	100 A gL/gG
Short-circuit withstand capability for max. mains-side overcurrent protection	25 kA _{rms}
Temporary overvoltage (TOV) (U _T)	900 V / 5 sec.
OV characteristic	withstand
Operating temperature range (T _U)	-40°C+80°C
Operating state/fault indication	green / red
Number of ports	1
Cross-sectional area (min.)	1.5 mm ² solid/flexible
Cross-sectional area (max.)	35 mm ² stranded/25 mm ² flexible
For mounting on	35 mm DIN rails acc. to EN 60715
Enclosure material	thermoplastic, red, UL 94 V-0
Place of installation	indoor installation
Degree of protection	IP 20
Capacity	3 module(s), DIN 43880
Approvals	KEMA, UL, VdS
Type of remote signalling contact	changeover contact
a.c. switching capacity	250 V/0.5 A
d.c. switching capacity	250 V/0.1 A; 125 V/0.2 A; 75 V/0.5 A
Cross-sectional area for remote signalling terminals	max. 1.5 mm ² solid/flexible
Neight	388 g
Customs tariff number	85363030
GTIN	4013364113312
PU	1 pc(s)

We reserve the right to introduce changes in performance, configuration and technology, dimensions, weights and materials in the course of technical progress. The figures are shown without obligation.